

**BX** Biax / Twin Tube Lamp  
**HW** Hard Wire Fixture  
**HP** High Performance T8 systems  
**RW** Reduced Wattage T8 Systems

**EE** Energy-Efficient Lamp  
**ELIG** Electronic Ballast  
**LPF** Low Power Ballast Factor < 0.80  
**HPF** High Power Ballast Factor > 1.0

## Proposed Fixture Codes

| CWA / Linear MH Lamp/Ballast |                    |             |
|------------------------------|--------------------|-------------|
| Device Code                  | Device Description | Rated Watts |
| 1M0100P                      | 100W MH CWA        | 128         |
| 1M0100R                      | 100W MH Linear     | 118         |
| 1M0150P                      | 150W MH CWA        | 190         |
| 1M0150R                      | 150W MH Linear     | 172         |
| 1M0175P                      | 175W MH CWA        | 208         |
| 1M0175R                      | 175W MH Linear     | 190         |
| 1M0200P                      | 200W CWA           | 232         |
| 1M0200R                      | 200W LINEAR        | 218         |
| 1M0250P                      | 250W CWA           | 288         |
| 1M0250R                      | 250W MH LINEAR     | 265         |
| 1M0300P                      | 300W CWA           | 342         |
| 1M0300R                      | 300W Linear        | 324         |
| 1M0320P                      | 320W CWA           | 365         |
| 1M0320R                      | 320W LINEAR        | 345         |
| 1M0350P                      | 350W CWA           | 400         |
| 1M0350R                      | 350W LINEAR        | 375         |
| 1M0400P                      | 400W CWA           | 455         |
| 1M0400R                      | 400W LINEAR        | 430         |
| 1M0450P                      | 450W MH CWA        | 508         |
| 1M0450R                      | 450W MH LINEAR     | 480         |
| 1M0750P                      | 750W MH CWA        | 815         |
| 1M0750R                      | 750W MH Linear     | 805         |
| 1M1000P                      | 1000W CWA          | 1080        |

| MH Track Lighting |                    |             |
|-------------------|--------------------|-------------|
| Device Code       | Device Description | Rated Watts |
| 1M0035E           | 35W MH SPOT        | 44          |
| 1M0070E           | 70W MH SPOT        | 80          |
| 1M0100E           | 100W MH SPOT       | 111         |

| LED Exit Signs |                    |             |
|----------------|--------------------|-------------|
| Device Code    | Device Description | Rated Watts |
| 1E0005C        | 0.5 WATT LEC       | 0.5         |
| 1E0015         | 1.5 WATT LED       | 1.5         |
| 1E0002         | 2.0 WATT LED       | 2           |
| 1E0003         | 3.0 WATT LED       | 3           |
| 1E0005         | 5.0 WATT LED       | 5           |
| 1E0008         | 8.0 WATT LED       | 8           |
| 1E0105         | 10.5 WATT LED      | 10.5        |

| Compact Fluorescents (CFL's) |                        |             |
|------------------------------|------------------------|-------------|
| Device Code                  | Device Description     | Rated Watts |
| 1C0005S                      | 5W COMPACT HW          | 7           |
| 1C0007S                      | 7W COMPACT HW          | 9           |
| 1C0009S                      | 9W COMPACT HW          | 11          |
| 1C0011S                      | 11W COMPACT HW         | 13          |
| 1C0013S                      | 13W COMPACT HW         | 15          |
| 1C0018E                      | 18W COMPACT HW ELIG    | 20          |
| 1C0018S                      | 18W COMPACT HW         | 20          |
| 1C0022S                      | 22W COMPACT HW         | 24          |
| 1C0023E                      | 1/23W COMPACT HW ELIG  | 25          |
| 1C0026E                      | 26W COMPACT HW ELIG    | 28          |
| 1C0026S                      | 26W COMPACT HW         | 28          |
| 1C0028S                      | 28W COMPACT HW         | 30          |
| 1C0032S                      | 32W CIRCLINE HW        | 34          |
| 1C0042E                      | 1/42W COMPACT HW ELIG  | 48          |
| 1C0044S                      | 44W CIRCLINE HW        | 46          |
| 1C0057E                      | 1/57W COMPACT HW ELIG  | 65          |
| 1C2232S                      | 22/32W CIRCLINE HW     | 58          |
| 1C2D10E                      | 10W 2D COMPACT HW ELIG | 12          |
| 1C2D16E                      | 16W 2D COMPACT HW ELIG | 18          |
| 1C2D21E                      | 21W 2D COMPACT HW ELIG | 22          |
| 1C2D28E                      | 28W 2D COMPACT HW ELIG | 28          |
| 1C2D38E                      | 38W 2D COMP.HW ELIG    | 36          |
| 1C3240S                      | 32/40W CIRCLINE HW     | 80          |
| 2C0005S                      | 2/5W COMPACT HW        | 14          |
| 2C0007S                      | 2/7W COMPACT HW        | 18          |
| 2C0009S                      | 2/9W COMPACT HW        | 22          |
| 2C0011S                      | 2/11W COMPACT HW       | 26          |
| 2C0013E                      | 2/13W COMPACT HW ELIG  | 28          |
| 2C0013S                      | 2/13W COMPACT HW       | 30          |
| 2C0018E                      | 2/18W COMP. HW ELIG    | 40          |
| 2C0026E                      | 2/26W COMP. HW ELIG    | 54          |
| 2C0032E                      | 2'/32W COMPACT HW ELIG | 68          |
| 2C0042E                      | 2/42W COMPACT HW ELIG  | 100         |
| 3C0009S                      | 3/9W COMPACT HW        | 33          |
| 3C0013S                      | 3/13W COMPACT HW       | 45          |
| 3C0018E                      | 3'/18W COMPACT HW ELIG | 60          |
| 3C0026E                      | 3/26W COMPACT HW ELIG  | 82          |
| 3C0032E                      | 3/32W COMPACT HW ELIG  | 114         |
| 3C0042E                      | 3/42W COMPACT HW ELIG  | 141         |

## Proposed Fixture Codes (cont.)

| Compact Fluorescents (CFL's) (cont.) |                       |             |
|--------------------------------------|-----------------------|-------------|
| Device Code                          | Device Description    | Rated Watts |
| 4C0018E                              | 4/18W COMPACT HW ELIG | 80          |
| 4C0026E                              | 4/26W COMPACT HW ELIG | 108         |
| 4C0032E                              | 4/32W COMPACT HW ELIG | 152         |
| 4C0042E                              | 4/42W COMPACT HW ELIG | 188         |
| 6C0026E                              | 6/26W COMPACT HW ELIG | 162         |
| 6C0032E                              | 6/32W COMPACT HW ELIG | 228         |
| 6C0042E                              | 6/42W COMPACT HW ELIG | 282         |
| 8C0026E                              | 8/26W COMPACT HW ELIG | 216         |
| 8C0032E                              | 8/32W COMPACT HW ELIG | 304         |
| 8C0042E                              | 8/42W COMPACT HW ELIG | 376         |

| Two Foot Biax Systems (long twin tube lamps) |                      |             |
|--|----------------------|-------------|
| Device Code                                  | Device Description   | Rated Watts |
| 1F55BXE                                      | 1L2' F55BX/ELIG      | 56          |
| 1F80BXE                                      | 1L2' F80BXE/ELIG     | 90          |
| 2F40BXE                                      | 2L2' F40BX/ELIG      | 72          |
| 2F50BXE                                      | 2L2' F50BX/ELIG      | 108         |
| 2F55BXE                                      | 2L2' F55BXE/ELIG     | 112         |
| 3F24HSE                                      | 3L4' T5HO/ELIG       | 80          |
| 3F40BXE                                      | 3L2' F40BX/ELIG      | 102         |
| 3F50BXE                                      | 3L2' F50BX/ELIG      | 162         |
| 3F55BXE                                      | 3L2' F55BX/ELIG      | 168         |
| 4F36BXE                                      | 4L2' F36BX/ELIG      | 148         |
| 4F40BXE                                      | 4L2' F40BX/ELIG      | 144         |
| 4F40BXH                                      | 4L 40W T5 (Std.) HPF | 170         |
| 4F50BXE                                      | 4L2' F50BX/ELIG      | 216         |
| 4F55BXE                                      | 4L2' F55BX/ELIG      | 224         |
| 5F40BXE                                      | 5L2' F40BX/ELIG      | 190         |
| 5F50BXE                                      | 5L2' F50BX/ELIG      | 270         |
| 5F55BXE                                      | 5L2' F55BX/ELIG      | 280         |
| 6F36BXE                                      | 6L2' F36BX/ELIG      | 212         |
| 6F40BXE                                      | 6L2' F40BX/ELIG      | 204         |
| 6F50BXE                                      | 6L2' F50BX/ELIG      | 324         |
| 6F55BXE                                      | 6L2' F55BX/ELIG      | 336         |
| 8F36BXE                                      | 8L2' F36BX/ELIG      | 296         |
| 8F40BXE                                      | 8L2' F40BX/ELIG      | 288         |
| 8F50BXE                                      | 8L2' F50BX/ELIG      | 432         |
| 8F55BXE                                      | 8L2' F55BX/ELIG      | 448         |
| 9F36BXE                                      | 9L2' F36BX/ELIG      | 318         |
| 9F40BXE                                      | 9L2' F40BX/ELIG      | 306         |
| 9F50BXE                                      | 9L2' F50BX/ELIG      | 486         |
| 9F55BXE                                      | 9L2' F55BX/ELIG      | 504         |
| 12F40BE                                      | 12L2' F40BX/ELIG     | 408         |
| 12F50BE                                      | 12L2' F50BX/ELIG     | 648         |
| 12F55BE                                      | 12L2' F55BX/ELIG     | 672         |

| T5 Systems  |                    |             |
|-------------|--------------------|-------------|
| Device Code | Device Description | Rated Watts |
| 1F14SSE     | 1L2' T5/ELIG       | 16          |
| 1F21SSE     | 1L3' T5/ELIG       | 24          |
| 1F24HSE     | 1L2' 24W T5HO/ELIG | 29          |
| 1F28SSE     | 1L4' T5/ELIG       | 32          |
| 1F39HSE     | 1L3' T5 HO/ELIG    | 42          |
| 1F54HSE     | 1L4' T5 HO/ELIG    | 59          |
| 2F14SSE     | 2L2' T5/ELIG       | 34          |
| 2F24HSE     | 2L2' T5HO/ELIG     | 52          |
| 2F21SSE     | 2L3' T5/ELIG       | 47          |
| 2F28SSE     | 2L4' T5/ELIG       | 63          |
| 2F39HSE     | 2L3' T5 HO/ELIG    | 85          |
| 2F54HSE     | 2L4' T5 HO/ELIG    | 117         |
| 3F54HSE     | 3L4' T5 HO/ELIG    | 177         |
| 4F54HSE     | 4L 54W T5 HO       | 234         |
| 5F54HSE     | 5L4' T5 HO/ELIG    | 294         |
| 6F54HSE     | 6L 54W T5 HO       | 351         |
| 8F54HSE     | 8L4' T5 HO/ELIG    | 468         |
| 10F54HSE    | 10L' 54W T5HO      | 585         |

| Four Foot Tandem Wired T8 HP/RW Systems |                       |     |
|---|-----------------------|-----|
| 2W28EEL                                 | 2L4' TW T8EE/ELEE LPF | 42  |
| 2W28EEE                                 | 2L4' TW T8EE/ELEE     | 48  |
| 3W28EEL                                 | 3L4' TW T8EE/ELEE LPF | 63  |
| 3W28EEE                                 | 3L4' TW T8EE/ELEE     | 72  |
| 4W28EEL                                 | 4L4' TW T8EE/ELEE LPF | 83  |
| 4W28EEE                                 | 4L4' TW T8EE/ELEE     | 94  |
| 3W32EEL                                 | 3L4' TW T8EE/ELEE LPF | 72  |
| 3W32EEE                                 | 3L4' TW T8EE/ELEE     | 82  |
| 4W32EEL                                 | 4L4' TW T8EE/ELEE LPF | 95  |
| 4W32EEE                                 | 4L4' TW T8EE/ELEE     | 107 |

| Two Foot High Efficient T8 Systems |                        |             |
|------------------------------------|------------------------|-------------|
| Device Code                        | Device Description     | Rated Watts |
| 1F17ESL                            | 1L2' 17W T8EE/ELEE LPF | 14          |
| 1F17ESN                            | 1L2' 17W T8EE/ELEE     | 17          |
| 1F17ESH                            | 1L2' 17W T8EE/ELEE HPF | 20          |
| 2F17ESL                            | 2L2' 17W T8EE/ELEE LPF | 27          |
| 2F17ESN                            | 2L2' 17W T8EE/ELEE     | 32          |
| 2F17ESH                            | 2L2' 17W T8EE/ELEE HPF | 40          |
| 3F17ESL                            | 3L2' 17W T8EE/ELEE LPF | 39          |
| 3F17ESN                            | 3L2' 17W T8EE/ELEE     | 46          |
| 3F17ESH                            | 3L2' 17W T8EE/ELEE HPF | 61          |

## Proposed Fixture Codes (cont.)

| Three Foot High Efficient T8 Systems |                        |    |
|--------------------------------------|------------------------|----|
| 1F25ESL                              | 1L3' 25W T8EE/ELEE LPB | 21 |
| 1F25ESN                              | 1L3' 25W T8EE/ELEE     | 24 |
| 1F25ESH                              | 1L3' 25W T8EE/ELEE HPB | 30 |
| 2F25ESL                              | 2L3' 25W T8EE/ELEE LPB | 40 |
| 2F25ESN                              | 2L3' 25W T8EE/ELEE     | 45 |
| 2F25ESH                              | 2L3' 25W T8EE/ELEE HPB | 60 |
| 3F25ESL                              | 3L3' 25W T8EE/ELEE LPB | 58 |
| 3F25ESN                              | 3L3' 25W T8EE/ELEE     | 67 |
| 3F25ESH                              | 3L3' 25W T8EE/ELEE HPB | 90 |

| Electronic Metal Halide Lamps |                      |     |
|-------------------------------|----------------------|-----|
| 1M0150E                       | 150W METAL HALIDE EB | 160 |
| 1M0200E                       | 200W METAL HALIDE EB | 215 |
| 1M0250E                       | 250W METAL HALIDE EB | 270 |
| 1M0320E                       | 320W METAL HALIDE EB | 345 |
| 1M0350E                       | 350W METAL HALIDE EB | 375 |
| 1M0400E                       | 400W METAL HALIDE EB | 430 |
| 1M0450E                       | 400W METAL HALIDE EB | 480 |

| LED Lighting Fixtures |                           |                    |
|-----------------------|---------------------------|--------------------|
| <u>Device Code</u>    | <u>Device Description</u> | <u>Rated Watts</u> |
| 1L010                 | 10 WATT LED               | 10                 |
| 1L011                 | 11 WATT LED               | 11                 |
| 1L012                 | 12 WATT LED               | 12                 |
| 1L014                 | 14 WATT LED               | 14                 |
| 1L015                 | 15 WATT LED               | 15                 |
| 1L016                 | 16 WATT LED               | 16                 |
| 1L017                 | 17 WATT LED               | 17                 |
| 1L023                 | 23 WATT LED               | 23                 |
| 1L025                 | 25 WATT LED               | 25                 |
| 1L028                 | 28 WATT LED               | 28                 |
| 1L029                 | 29 WATT LED               | 29                 |
| 1L035                 | 35 WATT LED               | 35                 |

| LED Lighting Fixtures (cont.) |                           |                    |
|-------------------------------|---------------------------|--------------------|
| <u>Device Code</u>            | <u>Device Description</u> | <u>Rated Watts</u> |
| 1L040                         | 40 WATT LED               | 40                 |
| 1L043                         | 43 WATT LED               | 43                 |
| 1L045                         | 45 Watt LED               | 45                 |
| 1L050                         | 50 Watt LED               | 50                 |
| 1L055                         | 55 Watt LED               | 55                 |
| 1L060                         | 60 Watt LED               | 60                 |
| 1L070                         | 70 Watt LED               | 70                 |
| 1L075                         | 75 Watt LED               | 75                 |
| 1L080                         | 80 Watt LED               | 80                 |
| 1L085                         | 85 Watt LED               | 85                 |
| 1L090                         | 90 Watt LED               | 90                 |
| 1L095                         | 95 Watt LED               | 95                 |
| 1L110                         | 100 Watt LED              | 100                |
| 1L115                         | 115 Watt LED              | 115                |
| 1L120                         | 120 Wat LED               | 139                |
| 1L125                         | 125 Watt LED              | 125                |
| 1L130                         | 130 Wat LED               | 130                |
| 1L135                         | 135 Watt LED              | 135                |
| 1L140                         | 140 Watt LED              | 164                |
| 1L145                         | 145 Watt LED              | 145                |
| 1L150                         | 150 Watt LED              | 150                |
| 1L155                         | 155 Watt LED              | 155                |
| 1L160                         | 160 Watt LED              | 160                |
| 1L165                         | 165 Watt LED              | 165                |
| 1L170                         | 170 Watt LED              | 170                |
| 1L175                         | 175 Watt LED              | 175                |
| 1L180                         | 180 Watt LED              | 180                |
| 1L185                         | 185 Watt LED              | 185                |
| 1L190                         | 190 Watt LED              | 190                |
| 1L200                         | 200 Watt LED              | 200                |
| 1L210                         | 210 Watt LED              | 210                |
| 1L220                         | 220 Watt LED              | 220                |
| 1L240                         | 240 Watt LED              | 240                |

**Proposed Fixture Codes (cont.)**

| <b>Four Foot T8 HP/RW Systems</b> |                           |                    |
|-----------------------------------|---------------------------|--------------------|
| <u>Device Code</u>                | <u>Device Description</u> | <u>Rated Watts</u> |
| 1F25EEL                           | 1L4' 25W T8EE/ELEE LPF    | 19                 |
| 1F25EEE                           | 1L4' 25W T8EE/ELEE        | 22                 |
| 1F25EEH                           | 1L4' 25W T8EE/EELE HPF    | 30                 |
| 1F25EEE                           | 1L4' 25W T8EE/ELEE        | 22                 |
| 2F25EEL                           | 2L4' 25W T8EE/ELEE LPF    | 37                 |
| 2F25EEE                           | 2L4' 25W T8EE/ELEE        | 43                 |
| 2F25EEH                           | 2L4' 25W T8EE/EELE HPF    | 57                 |
| 3F25EEL                           | 3L4' 25W T8EE/ELEE LPF    | 57                 |
| 3F25EEE                           | 3L4' 25W T8EE/ELEE        | 64                 |
| 3F25EEH                           | 3L4' 25W T8EE/EELE HPF    | 86                 |
| 4F25EEL                           | 4L4' 25W T8EE/ELEE LPF    | 75                 |
| 4F25EEE                           | 4L4' 25W T8EE/ELEE        | 86                 |
| 4F25EEH                           | 4L4' 25W T8EE/EELE HPF    | 111                |
| 4F25EEL                           | 4L4' 25W T8EE/ELEE LPF    | 75                 |
| 1F28EEL                           | 1L4' 28W T8EE/ELEE LPF    | 22                 |
| 1F28EEE                           | 1L4' 28W T8EE/ELEE        | 24                 |
| 1F28EEH                           | 1L4' 28W T8EE/EELE HPF    | 33                 |
| 2F28EEL                           | 2L4' 28W T8EE/ELEE LPF    | 42                 |
| 2F28EEE                           | 2L4' 28W T8EE/ELEE        | 48                 |
| 2F28EEH                           | 2L4' 28WT8EE/EELE HPF     | 64                 |
| 3F28EEL                           | 3L4' 28W T8EE/ELEE LPF    | 63                 |
| 3F28EEE                           | 3L4' 28W T8EE/ELEE        | 72                 |
| 3F28EEH                           | 3L4' 28W T8EE/EELE HPF    | 96                 |
| 4F28EEL                           | 4L4' 28W T8EE/ELEE LPF    | 83                 |
| 4F28EEE                           | 4L4' 28W T8EE/ELEE        | 94                 |
| 4F28EEH                           | 4L4' 28W T8EE/EELE HPF    | 126                |
| 1F30EEL                           | 1L4' 30W T8EE/ELEE LPF    | 24                 |
| 1F30EEE                           | 1L4' 30W T8EE/ELEE        | 26                 |
| 1F30EEH                           | 1L4' 30W T8EE/EELE HPF    | 36                 |
| 2F30EEL                           | 2L4' 30W T8EE/ELEE LPF    | 45                 |
| 2F30EEE                           | 2L4' 30W T8EE/ELEE        | 52                 |
| 2F30EEH                           | 2L4' 30WT8EE/EELE HPF     | 69                 |
| 3F30EEL                           | 3L4' 30W T8EE/ELEE LPF    | 68                 |
| 3F30EEE                           | 3L4' 30W T8EE/ELEE        | 77                 |
| 3F30EEH                           | 3L4' 30W T8EE/EELE HPF    | 103                |
| 4F30EEL                           | 4L4' 30W T8EE/ELEE LPF    | 89                 |
| 4F30EEE                           | 4L4' 30W T8EE/ELEE        | 101                |
| 4F30EEH                           | 4L4' 30W T8EE/EELE HPF    | 133                |
| 1F30EEL                           | 1L4' 30W T8EE/ELEE LPF    | 24                 |
| 1F30EEE                           | 1L4' 30W T8EE/ELEE        | 26                 |
| 1F30EEH                           | 1L4' 30W T8EE/EELE HPF    | 36                 |
| 2F30EEL                           | 2L4' 30W T8EE/ELEE LPF    | 45                 |
| 2F30EEE                           | 2L4' 30W T8EE/ELEE        | 52                 |
| 2F30EEH                           | 2L4' 30WT8EE/EELE HPF     | 69                 |

| <b>Four Foot T8 HP/RW Systems (cont.)</b> |                           |                    |
|---|---------------------------|--------------------|
| <u>Device Code</u>                        | <u>Device Description</u> | <u>Rated Watts</u> |
| 3F30EEL                                   | 3L4' 30W T8EE/ELEE LPF    | 68                 |
| 3F30EEE                                   | 3L4' 30W T8EE/ELEE        | 77                 |
| 3F30EEH                                   | 3L4' 30W T8EE/EELE HPF    | 103                |
| 4F30EEL                                   | 4L4' 30W T8EE/ELEE LPF    | 89                 |
| 4F30EEE                                   | 4L4' 30W T8EE/ELEE        | 101                |
| 4F30EEH                                   | 4L4' 30W T8EE/EELE HPF    | 133                |
| 1F32EEL                                   | 1L4' T8EE/ELEE LPF        | 25                 |
| 1F32EEE                                   | 1L4' T8EE/ELEE            | 28                 |
| 1F32EEH                                   | 1L4' T8EE/ELEE LPF        | 38                 |
| 2F32EEL                                   | 2L4' T8EE/ELEE LPF        | 47                 |
| 2F32EEE                                   | 2L4' T8EE/ELEE            | 53                 |
| 2F32EEH                                   | 2L4' T8EE/ELEE HPF        | 73                 |
| 3F32EEL                                   | 3L4' T8EE/ELEE LPF        | 72                 |
| 3F32EEE                                   | 3L4' T8EE/ELEE            | 82                 |
| 3F32EEH                                   | 3L4' T8EE/ELEE/HPF        | 109                |
| 4F32EEL                                   | 4L4' T8EE/ELEE LPF        | 95                 |
| 4F32EEE                                   | 4L4' T8EE/ELEE            | 107                |
| 4F32EEH                                   | 4L4' T8EE/ELEE HPF        | 141                |
| 5F32EEH                                   | 5L4' T8EE/ELEE HPF        | 182                |
| 6F32EEH                                   | 6L4' T8EE/ELEE HPF        | 218                |
| 8F32EEH                                   | 8L4' T8EE/ELEE HPF        | 282                |

| <b>T5 Systems</b>  |                           |                    |
|--------------------|---------------------------|--------------------|
| <u>Device Code</u> | <u>Device Description</u> | <u>Rated Watts</u> |
| 1F14SSE            | 1L2' T5/ELIG              | 16                 |
| 1F21SSE            | 1L3' T5/ELIG              | 24                 |
| 1F24HSE            | 1L2' 24W T5HO/ELIG        | 29                 |
| 1F28SSE            | 1L4' T5/ELIG              | 32                 |
| 1F39HSE            | 1L3' T5 HO/ELIG           | 42                 |
| 1F54HSE            | 1L4' T5 HO/ELIG           | 59                 |
| 2F14SSE            | 2L2' T5/ELIG              | 34                 |
| 2F24HSE            | 2L2' T5HO/ELIG            | 52                 |
| 2F21SSE            | 2L3' T5/ELIG              | 47                 |
| 2F28SSE            | 2L4' T5/ELIG              | 63                 |
| 2F39HSE            | 2L3' T5 HO/ELIG           | 85                 |
| 2F54HSE            | 2L4' T5 HO/ELIG           | 117                |
| 3F54HSE            | 3L4' T5 HO/ELIG           | 177                |
| 4F54HSE            | 4L 54W T5 HO              | 234                |
| 5F54HSE            | 5L4' T5 HO/ELIG           | 294                |
| 6F54HSE            | 6L 54W T5 HO              | 351                |
| 8F54HSE            | 8L4' T5 HO/ELIG           | 468                |
| 10F54HSE           | 10L' 54W T5HO             | 585                |